


GMS 10.3 Tutorial

Feature Objects

Use points, arcs, and polygons to make grid-independent conceptual models



Objectives

This tutorial demonstrates how to use feature objects—points, nodes, vertices, arcs, and polygons—to make grid-independent conceptual models.

Prerequisite Tutorials

Getting Started

Required Components

• Map

Time

• 10–15 minutes



| 1 | Intro | oduction and Getting Started | .2 |
|--------------|-------------------|---------------------------------|----|
| 2 | 2 Feature Objects | | |
| | 2.1 | Points | .3 |
| | 2.2 | Arcs | .3 |
| | 2.3 | Nodes and Vertices | .3 |
| | 2.4 | Polygons | .3 |
| | 2.5 | Coverages | .3 |
| | 2.6 | Coverages and Conceptual Models | .4 |
| | 2.7 | Creating Feature Objects | .5 |
| | 2.8 | Selecting Feature Objects | .5 |
| | 2.9 | Modifying Feature Objects | .6 |
| | 2.10 | Grid Frames | |
| 3 Conclusion | | .8 | |

1 Introduction and Getting Started

This tutorial gives an introduction to feature objects: points, nodes, vertices, arcs, and polygons. This tutorial demonstrates the following:

- 1. How to create coverages,
- 2. How to create conceptual models,
- 3. How to create feature objects, and
- 4. How to select and modify feature objects.

To get started, do the following:

- 1. Launch GMS.
- 2. If GMS is already running, select *File* | **New...** to ensure that the program settings are restored to their default state.

2 Feature Objects

Feature objects are patterned after Geographic Information Systems (GIS) objects and include points, nodes, vertices, arcs, and polygons (Figure 1). Feature objects are used in many ways in GMS, and they are used in most tutorials.




Figure 1 Examples of feature objects

2.1 Points

Points are xy locations that are not attached to an arc. Points have unique IDs and can be assigned properties. Points are typically used to represent wells.

2.2 Arcs

Arcs are sequences of line segments or edges that are grouped together as a single polyline entity. Arcs have unique IDs and can be assigned properties.

2.3 Nodes and Vertices

The two end points of an arc are called "nodes" and the intermediate points are called vertices. Nodes have unique IDs and can be assigned properties. Vertices are used solely to define the geometry of the arc. Vertices cannot be assigned properties.

2.4 Polygons

Polygons are a group of connected arcs that form a closed loop. A polygon can consist of a single arc or multiple arcs. If two polygons are adjacent, the arc forming the boundary between the polygons is shared (not duplicated).

2.5 Coverages

Feature objects are grouped into coverages. Each coverage represents a particular set of objects and the attributes associated with those objects.

2.6 Coverages and Conceptual Models

Both coverages and conceptual models require certain steps to be created. Coverages are created by following these steps:

- 1. In the Project Explorer, right-click and select *New |* **Coverage...** to bring up *Coverage Setup* dialog.
- 2. Click **OK** to accept the default settings and close the *Coverage Setup* dialog.

The "new coverage" item is now the active coverage, meaning that feature objects are created in this coverage. Coverages can be duplicated. All the feature objects and attributes from the original coverage are copied to the new coverage.

3. In the Project Explorer, right-click on "new coverage" and select **Duplicate...** to create a new coverage named "Oppy of new coverage".

Notice that the icon next to "new coverage" is now grey indicating that "new coverage" is no longer the active coverage.

4. Right-click on the "Ocopy of new coverage" coverage and select **Delete** to remove the "Ocopy of new coverage" from the Project Explorer.

A conceptual model in GMS is an object that can be used to associate one or more related coverages. Conceptual models are created by doing the following:

1. Right-click in the Project Explorer and select *New |* **Conceptual Model...** to bring up the *Conceptual Model Properties* dialog (Figure 2).




Figure 2 Conceptual Model Properties dialog

Conceptual models have a name and a type. The type corresponds with the type of model being created (MODFLOW, FEMWATER, etc.). The type determines the options available in the spreadsheet section of the dialog.

- 2. Click **OK** to accept the defaults and close the *Conceptual Model Properties* dialog.
- 3. In the Project Explorer field, drag the "new coverage" below the "New Model" conceptual model.
- 4. Click **Yes** if a dialog appears regarding attributes.

The attributes in a coverage depend on the settings in the conceptual model that the coverage is associated with. The coverage should now be below the conceptual model (Figure 3).



Figure 3 The Project Explorer showing a new coverage below a conceptual model

2.7 Creating Feature Objects

Now to create some feature objects.

- 1. Using the **Create Point** tool, click with the mouse to create several points in any location in the graphics window.
- 2. Using the **Create Arc** \int tool, create several arcs by clicking with the mouse. Single-click to create arc vertices and double-click to end the arc.

Although the user may have created a closed loop with one or more arcs, GMS will not recognize a polygon until the Build Polygons command is used.

- 3. Using the **Create Arc** \(\int \) tool, create some polygons by creating closed loops with one or more arcs.
- 4. Select *Feature Objects* / **Build Polygons**. Any closed-loop arcs will now have a gray fill, indicating they are now polygons.

2.8 Selecting Feature Objects

There are different tools for creating feature objects and selecting feature objects (Figure 4). The different selection tools select different types of objects. The default location for

the feature object toolbar is vertically between the Project Explorer and the Graphics Window. It is shown horizontally here for convenience.



Figure 4 Selection and creation tools

1. Hold the mouse cursor over a tool for a couple of seconds until the tool name appears as shown in Figure 5. This can be used to identify the correct tool.




Figure 5 Context sensitive help for tools

The **Select** tool can be used to select all feature objects, while the specific tools are used to select one type of object. The specific tools can be used when necessary, such as when different types of objects are close to each other.

- 2. Use the **Select** tool to select different types of feature objects.
- 3. Try out the other selection tools. Select different objects.

2.9 Modifying Feature Objects

There are several ways that feature objects can be modified using GMS. Some feature objects, like points and vertices, can be moved to other locations by dragging them with the mouse. Other objects, like arcs and polygons, cannot be dragged, but it is possible to move arcs and polygons by moving the nodes and vertices that are on them.

To drag points and nodes, do the following:

- 1. Use the **Select Points\Nodes** \(\strict{N} \) tool to select one of the isolated points created earlier.
- 2. While holding down the left mouse button, drag the point to a different location.
- 3. Use the same **Select Points\Nodes** \(\strict{N} \) tool to drag a node on the arc created earlier.

To drag vertices, do the following:

- 1. Click **Display Options** To bring up the *Display Options* dialog.
- 2. Select "Map Data" from the list on the left.
- 3. On the *Map* tab, turn on *Vertices*.
- 4. Click **OK** to close the *Display Options* dialog.

5. Using the **Select Vertices** ** tool, select and drag a vertex on one of the arcs created earlier.

Arcs can be modified by adding more vertices.

- 1. Switch to the **Create Vertex** *tool.
- 2. Click on one of the arcs that were created earlier to add vertices to it.

By adding vertices and dragging them where they are needed, it is possible to refine how the arc looks. It is also possible to right-click on an arc and redistribute the vertices. This is a faster way to create many vertices and space them evenly along the arc.

2.10 Grid Frames

Grid frames are used to build 2D and 3D grids. A grid frame defines the rectangular extent of the grid. Grid frames can be rotated and moved to better fit the desired modeling area.

- 1. Select the *Feature Objects* / **New Grid Frame** menu command. This creates a purple grid frame rectangle on the screen.
- 2. Using the **Select Grid Frame** tool, click on one of the borders of the grid frame to select it.
- 3. Click on the interior of the grid frame and drag it to a new location.




Figure 6 Grid frame with handles

Notice the handles in the corners and the middle of the edges of the grid frame. In the bottom right corner, notice the circular handle used for rotation.

4. Click on the handles of the grid frame to resize it and on the circular handle to rotate it.

The properties of the grid frame can also be entered manually.

5. Double-clicking on the grid frame in the Project Explorer to open the *Grid Frame Properties* dialog.

- 6. Enter "100" for the *Dimension x* and "50" for the *Dimension y* attributes.
- 7. Click **OK** to close the *Grid Frame Properties* dialog.

The grid frame has now been resized to be 100 by 50.

3 Conclusion

This concludes the "Feature Objects" tutorial. Topics covered in this tutorial include creating coverages, conceptual models, and feature objects, as well as selecting and modifying feature objects.